


PRODUCT

Antistat Conductive Card Reel Storage System

The Antistat Conductive Card Reel Storage System is a new flexible bench mount storage system for 7" and 15" component reels. Manufactured from Corrugated fibreboard as standard, or conductive fluted polypropylene plastic for clean room or heavy wear environments.

FEATURES

- The storage system is available in single, double and triple module units and the division spacing can be 18mm or 32mm to suit the application
- The units are supplied fully assembled and configured to suit your exact requirements

PRODUCT CODE	DESCRIPTION	SIZE REAR (mm) L x W x D	CELL WIDTH (mm)	NUMBER OF CELLS
026-1071	Reel Rack 7" Single Unit	200 x 240 x 93	18	11
026-1072	Reel Rack 7" Single Unit	200 x 240 x 93	32	7
026-1073	Reel Rack 7" Double Unit	200 x 240 x 93	18	22
026-1074	Reel Rack 7" Double Unit	200 x 240 x 93	32	14
026-1075	Reel Rack 7" Triple Unit	200 x 240 x 93	18	33
026-1076	Reel Rack 7" Triple Unit	200 x 240 x 93	32	21
026-1077	Reel Rack 15" Single Unit	200 x 385 x 93	18	11
026-1078	Reel Rack 15" Single Unit	200 x 385 x 93	32	7
026-1079	Reel Rack 15" Double Unit	200 x 385 x 93	18	22
026-1080	Reel Rack 15" Double Unit	200 x 385 x 93	32	14
026-1081	Reel Rack 15" Triple Unit	200 x 385 x 93	18	33
026-1082	Reel Rack 15" Triple Unit	200 x 385 x 93	32	21

To request a quotation or for more information, please call **+1 512-580-4220**

email sales@antistat.com or visit www.antistat.com

IMPORTANT: This data sheet and its contents (the "Information") belong to Antistat or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Antistat assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Antistat was aware of the possibility of such loss or damage arising) is excluded. © 2021 Antistat.

ELECTRICAL PROPERTIES	
Surface Resistivity (per ASTM D257-78)	
Buried Shielding Layer:	<10 Ohms/sq
Exterior Layer:	<10 Ohms/sq
Electrostatic Decay Rate: (per Mil B 81705B, Test Method 4046 Federal TMS 101B)	Less than 2.0 seconds to theoretical zero
ESD Shielding:	99.9% Attenuation (Capacitive Probe Test)

CHEMICAL PROPERTIES	
Surface Resistivity:	
Reducible Sulphur:	00035% (.0008% non-tarnishing to silver, solder and copper per TAPPI T-406)
Amines:	None
Galvanic Reaction:	None

MECHANICAL PROPERTIES	
Liner papers:	100% pure kraft
Shelf Life:	10 years
Humidity Dependence:	No effect on electrical properties

To request a quotation or for more information, please call **+1 512-580-4220**
 email sales@antistat.com or visit www.antistat.com

IMPORTANT: This data sheet and its contents (the "Information") belong to Antistat or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Antistat assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Antistat was aware of the possibility of such loss or damage arising) is excluded. © 2021 Antistat.