



PRODUCT

ESD White 3/4 Length Lab Coat

FEATURES

- Resistace 10⁶ - 10⁷ Ohms
- ESD logo on left sleeve
- 2 side pockets and 1 breast pocket
- Crease resistant

WASHING INFORMATION

- Do not use acid or alkali, do not bleach
- Tumble dry at low temperature
- EN 61340-5-1 Electrical properties maintained after more than 50 industrial launderings

FABRIC PROPERTIES	
Static dissipative fabric:	Carbon loaded yarns in 5 mm grid
Fibre content:	63% Polyester, 33% cotton, 4% conductive fibre
Resistivity point-point (Rp):	10 ⁶ - 10 ⁷ Ohms
Decay time:	< 2 second
Machine washable:	Up to 104°F
Ironing:	Maximum 230°F

PRODUCT CODE	DESCRIPTION	SIZE
108-6638	ESD White 3/4 Length Lab Coat	XS
108-6639	ESD White 3/4 Length Lab Coat	S
108-6640	ESD White 3/4 Length Lab Coat	M
108-6641	ESD White 3/4 Length Lab Coat	L
108-6642	ESD White 3/4 Length Lab Coat	XL
108-6643	ESD White 3/4 Length Lab Coat	XXL

To request a quotation or for more information, please call **+44 (0)1473 836200** email sales@antistat.com or visit www.antistat.com

IMPORTANT: This data sheet and its contents (the "Information") belong to Antistat or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Antistat assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Antistat was aware of the possibility of such loss or damage arising) is excluded. © 2021 Antistat.