

Corriplast Slotted Tote Divisions

Manufactured from Corriplast conductive fluted polypropylene, slotted tote divisions enhance standard plastic totes through creating a network of smaller cells for storing multiple components or parts in one outer container.

Available in two standard heights, the Corriplast conductive material delivers high levels of ESD protection, offering you optimum performance.

Features:

- 2 standard heights available
- Can be custom manufactured to any size
- Offers various combinations and great flexibility
- Fits most standard totes
- Suitable for Cleanroom Environments
- Created from Corriplast conductive material


Benefits:

Conductive Corriplast slotted divisions have been carefully designed to ensure that they fit the majority of standard plastic totes currently available.

Manufactured from 3mm Corriplast Conductive fluted polypropylene, your conductive divisions are both robust and ESD safe, as well as being suitable for use in Cleanroom Environments.

With slots at 1.1 inch increments, the divisions offer fantastic flexibility and can be arranged to create various networks of cells to suit specific applications.

The divisions will fit the popular Stacking Totes (i.e. 23in x 15in and 15in x 11in) and come in 2 standard heights.



Important Notice: This data sheet and its contents (the "Information") belong to Antistat or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Antistat assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Antistat was aware of the possibility of such loss or damage arising) is excluded. © Antistat 2020.

Corriplast Slotted Tote Divisions

Technical Specifications and Features:

Performance data for Corriplast Material:

Electrical:

- Conductive Corriplast is a type of Corrugated Plastic Board based on Polypropylene / Ethylene copolymers
- Corriplast is volume conductive, surface resistivity is less than 105 ohms squared (Method 5.0 KV charge for 5 minutes at 40 RH = V)
- Units seconds V = 1/10 V=0
- Conductive Black 0.27 0.53

Chemical:

- Conductive Corriplast is chemically unreactive and is generally regarded as being biologically inert.
- There is no release of any noxious fumes from ambient temperatures.
- Although Conductive Corriplast is inert and can be regarded as harmless, certain boards do contain additives which could be harmful and any ingestion should be avoided.

Product Code:	Description:	Size (in)	Slots	Spacing (mm)
026-0036	Corriplast Slotted Tote Divisions	6.6 x 10 x 0.11	7	30
026-0035	Corriplast Slotted Tote Divisions	6.6 x 13.5 x 0.11	11	27
026-0041	Corriplast Slotted Tote Divisions	6.6 x 21.8 x 0.11	16	30
026-0028	Corriplast Slotted Tote Divisions	3 x 8.8 x 0.11	7	30
026-0027	Corriplast Slotted Tote Divisions	3 x 13.9 x 0.11	11	27
026-0034	Corriplast Slotted Tote Divisions	3 x 21.8 x 0.11	16	30



Buy online at
www.antistat.com



Call us on
 +44 (0)1473 836 200



Email us at
info@antistat.com



Message us on Live Chat
www.antistat.com

Important Notice: This data sheet and its contents (the "Information") belong to Antistat or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Antistat assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Antistat was aware of the possibility of such loss or damage arising) is excluded. © Antistat 2020.